Aircraft Design Optimal wing twist distribution for roll control of MAVs. M.R. Ahmed, M.M. Abdelrahman, G.M. ElBayoumi and M.M. ElNomrossy, pp 641-649.

**AIRWORTHINESS**

An operability framework for unmanned aircraft systems. A. Maneschijn, T. Jones and T.W. von Backström, pp 361-376.

**BOOK REVIEWS — BY AUTHOR**

Aldinger, F. and Weberruss, V.A. Advanced Ceramics and Future Materials: an Introduction to Structures, Properties, Technologies, Methods, p 197.
Barbero, E.J. Introduction to Composite Materials Design — Second edition, p 284.
Bauchau, O.A. and Craig, J.I. Structural Analysis: with Applications to Aerospace Structures, p 197.
Benaroya, H., H. and Nagurka, L. Mechanical Vibration: Analysis, Uncertainties and Control – Third edition, p 650.
Biblarz, O. and Sutton, P. Rocket Propulsion Elments – Eighth Edition, p 65.
Callister, W.D. and Rethwisch, D.G. Materials Sciences and Engineering — Eighth edition, p 388.
Carichner, G.E. and Nicholia, L.M. Fundamentals of Aircraft and Airship Design: Vol 1 – Aircraft Design, p 64.
Chung, D.D.L. Composite Materials: Science and Applications – Second edition, p 323.
Conway, B.A. Spacecraft Trajectory Optimisation, p 323.
Cook *et al*, M. Aerospace Engineering Desk Reference, p 389.
Craig, J.I. and Bauchau, O.A. Structural Analysis: with Applications to Aerospace Structures, p 197.
Delery, J. Handbook of Compressible Aerodynamics, p 450.
Guerci, J.R. Cognitive Radar: the Knowledge-Aided Fully Adaptive Approach, p 390.
Gupta, M. and Sharon, N.M.L. Magnesium, Magnesium Alloys and Magnesium Composites, p 390.
Jaw , L.C. and Mattingly, J.D. Aircraft Engine Controls: Design, System Analysis and Health Monitoring, p 198.
Kassapoglou, C. Design and Analysis of Composite Structures: with Applications to Aerospace Structures, p 284.
Kitsche, W. Operation of a Cryogenic Rocket Engine: an Outline with Down-to-Earth and Up-to-Space Remarks, p 591.
Komzsik, L. What Every Engineer Should Know About Computational Techniques of Finite Element Analysis — Second Edition, p 65.
Kundu, A.K. Aircraft Design, p 66.
Lozano (Ed), R. Unmanned Aerial Vehicles: Embedded Control, p 388.
Macnamara, T.M. Introduction to Antenna Placement and Installation, p 650.
Martin, R. (Ed). Ageing of Composites, p 387.
Mattingly, J.D. and Jaw , L.C. Aircraft Engine Controls: Design, System Analysis and Health Monitoring, p 198.
Megson, T.H.G. An Introduction to Aircraft Structural Analysis, p 589.
Morris *et al*, P. J. Advances in Aeroacoustics: in honor of Professor Geoffrey M. Lilley, p 589.
Nagurka, L. and Benaroya, H. Mechanical Vibration: Analysis, Uncertainties and Control — Third edition, p 650.
Nicholia, L.M. and Carichner, G.E. Fundamentals of Aircraft and Airship Design: Vol 1 — Aircraft Design, p 64.
Pace, P.E. Detecting and Classifying Low Probability of Intercept Radar — Second edition, p 389.
Ramnath, R.V. Multiple Scales Theory for Aerospace Applications, p 590.
Rethwisch, D.G. and Callister, W.D. Materials Sciences and Engineering — Eighth edition, p 388.
Sharon, N.M.L. and Gupta, M. Magnesium, Magnesium Alloys and Magnesium Composites, p 390.
Shiroma, W.A. and Thakker, P. Emergency of Pico- and Nanosatellites for Atmospheric Research and Technology Testing, p 189.
Shyy *et al*, W. Aerodynamics of Low Reynolds Number Flyers, p 64.
Sutton, P. and Biblarz, O. Rocket Propulsion Elments — Eighth Edition, p 65.
Taylor, T.S. Introduction to Rocket Science and Engineering, p 65.
Taylor, G.K. (Ed) *et al.* Animal Locomotion: The Physics of Flying; The Hydrodynamics of Swimming, p 387.
Thakker, P. and Shiroma, W.A. Emergency of Pico- and Nanosatellites for Atmospheric Research and Technology Testing, p 189.
Tsourdos *et al*, A. Co-operative Path Planning of Unmanned Aerial Vehicles, p 450.
Turner, M.J.L. Rocket and Spacecraft Propulsion: Principles, Practice and New Developments — Third Edition, p 65.
Ward, T.A. Aerospace Propulsion Systems, p 387.
Weberruss, V.A. and Aldinger, F. Advanced Ceramics and Future Materials: an Introduction to Structures, Properties, Technologies, Methods, p 197.

**BOOK REVIEWS — BY TITLE**

Advanced Ceramics and Future Materials: an Introduction to Structures, Properties, Technologies, Methods. F. Aldinger and V.A. Weberruss, p 197.
Advances in Aeroacoustics: in honor of Professor Geoffrey M. Lilley. P. J. Morris *et al*, p 589.
Aerodynamics of Low Reynolds Number Flyers. W. Shyy *et al*, p 64.
Aerospace Engineering Desk Reference. M. Cook *et al*, p 389.
Aerospace Propulsion Systems. T.A. Ward, p 387.
Ageing of Composites. R. Martin (Ed), p 387.
Aircraft Design. A.K. Kundu, p 66.
Aircraft Engine Controls: Design, System Analysis and Health Monitoring. L.C. Jaw and J.D.Mattingly, p 198.
An Introduction to Aircraft Structural Analysis. T.H.G. Megson, p 589.
Animal Locomotion: The Physics of Flying; The Hydrodynamics of Swimming. G.K. Taylor (Ed) *et al*, p 387.
Cognitive Radar: the Knowledge-Aided Fully Adaptive Approach. J.R. Guerci, p 390.
Composite Materials: Science and Applications — Second edition. D.D.L Chung, p 323.
Co-operative Path Planning of Unmanned Aerial Vehicles. A. Tsourdos *et al*, p 450.
Design and Analysis of Composite Structures: with Applications to Aerospace Structures. C. Kassapoglou, p 284.
Detecting and Classifying Low Probability of Intercept Radar — Second edition. P.E. Pace, p 389.
Emergency of Pico- and Nanosatellites for Atmospheric Research and Technology Testing. P. Thakker and W.A. Shiroma, p 189.
Fundamentals of Aircraft and Airship Design: Vol 1 — Aircraft Design. L.M. Nicholia and G.E. Carichner, p 64.
Handbook of Compressible Aerodynamics. J. Delery, p 450.
Introduction to Antenna Placement and Installation. T.M. Macnamara, p 650.
Introduction to Composite Materials Design — Second edition. E.J. Barbero, p 284.
Introduction to Rocket Science and Engineering. T.S. Taylor, p 65.
Magnesium, Magnesium Alloys and Magnesium Composites. M. Gupta and N.M.L. Sharon, p 390.
Materials Sciences and Engineering — Eighth edition. W.D. Callister and D.G. Rethwisch, p 388.
Mechanical Vibration: Analysis, Uncertainties and Control — Third edition. H. Benaroya, H. and L. Nagurka, p 650.
Multiple Scales Theory for Aerospace Applications. R.V. Ramnath, p 590.
Operation of a Cryogenic Rocket Engine: an Outline with Down-to-Earth and Up-to-Space Remarks. W. Kitsche, p 591.

Rocket and Spacecraft Propulsion: Principles, Practice and New Developments — Third Edition. M.J.L. Turner, p 65.
Rocket Propulsion Elments — Eighth Edition. P. Sutton and O. Biblarz, p 65.
Spacecraft Trajectory Optimisation. B.A. Conway, p 323.
Structural Analysis: with Applications to Aerospace Structures. O.A. Bauchau and J.I. Craig, p 197.
Unmanned Aeriai Vehicles: Embedded Control. R. Lozano (Ed), p 388.
What Every Engineer Should Know About Computational Techniques of Finite Element Analysis — Second Edition. L. Komzsik, p 65.

**COMPUTATIONAL FLUID DYNAMICS**

Aerodynamic shape optimisation of hovering rotors using compressible CFD. C.B. Allen and T.C.S. Rendall, pp 513-519.
A framework for optimising aspects of rotor blades. C.S. Johnson and G.N. Barakos, pp 147-161.
Modification impact on aerodynamic performance of hypersonic waverider. C. Xiao-Qing, H. Zhong-Xi, L. Jian-Xia and G. Xian-Zhong, pp 325-334.

**COMPUTATIONAL TECHNIQUES**

Computational study of flowfield characteristics in cavities with stores. B. Khanal, K. Knowles and A.J. Saddington, pp 669-681.

**ENVIRONMENTAL ENGINEERING**

Emission comparison of turbofan and open rotor engines under special consideration of aircraft and mission design aspects. A. Seitz, D. Schmitt and S. Donnerhack, pp 351-360.

**FATIGUE**

Conceptual design and sizing of airframe panels according to safe-life acoustic fatigue criteria. R.M. Ajaj, G. Allegri and A.T. Isikveren, pp 15-27.

**FLIGHT CONTROL SYSTEMS**

A linear-quadratic-Gaussian approach for automatic flight control of fixed-wing unmanned air vehicles. C.-S. Lee, W.-L. Chan, S.-S. Jan and F.-B. Hsiao, pp 29-41.
Non-linear control algorithm for the four rotors UAV attitude tracking problem. L. Derafa, A. Ouldali, T. Madani and A. Benallegue, pp 175-185.
Robust scheduled control of longitudinal flight with handling quality satisfaction. D. Saussié, C. Bérard, O. Akhrif and L. Saydy, pp 163-174.

**FLIGHT CONTROL**

Reactive route selection from pre-calculated trajectories – application to micro-UAVpath planning. J. Hall and D. Anderson, pp 635-640.
The tau of flight control. G.D. Padfield, pp 521-556.

**FLIGHT DYNAMICS**

Algebraic analysis of stability and bifurcation for nonlinear flight dynamics. D. Wang, pp 345-349.

**FLUTTER**

F/A-18 vertical tail buffeting calculation using unsteady fluid structure interaction. M. Guillaume, A. Gehri, P. Stephani, J.B. Vos and G. Mandanis, pp 285-294.

**HUMAN FACTORS**

Pilot task demand load during RNAV approaches with a Cessna Citation. M.M. Heiligers, K.T.P. van Bennekom, T.J. van Tuinen, Th. van Holten and M. Mulder, pp 421-439.

**JETS**

Study of jets from rectangular nozzles with square grooves. P. Arun Kumar, S.B. Verma and S. Elangovan, pp 187-196.

**KINEMATICS**

Flexible flapping systems: computational investigations into fluid-structure interactions.T. Fitzgerald, M. Valdez, M. Vanella, E. Balaras and B. Balachandran, pp 593-604.
Kinematic and aerodynamic characterisation of the RotaFlap — a novel flapping wing mechanism.A. Ania, D. Poirel and M.-J. Potvin, pp 1-13.

**MATERIALS**

Composite materials, composite structures, composite systems: how to get the best out of composites.M. van Tooren, C. Kasapoglou and H. Bersee, pp 789-797.
Damage arrest design approach using stitched composites.A. Velicki and P. Thrash, pp 799-805.
Damage tolerant cork based composites for aerospace applications. J.M. Silva, C.Z. Nunes, N. Franco and P.V. Gamboa, pp 567-575.
Thermomechanical behaviour of a damaged thermal protection system: experimental correlation and influence of hypersonic flow. W.H. Ng, P.P. Friedmann, A.M. Waas and J.J. McNamara, pp 69-82.

**PROPULSION**

Applying heat pipes to a novel concept aero engine Part 1 — Design of a heat-pipe heat exchanger for an intercooled aero engine.R. Camilleri, S. Ogaji and P. Pilidis, pp 393-402.
Applying heat pipes to a novel concept aero engine Part 2 — Design of a heat-pipe heat exchanger for an intercooled-recuperated aero engine. R. Camilleri, S. Ogaji and P. Pilidis, pp 403-410.
Challenges to overcome for routine usage of automatic optimisation in the propulsion industry. S. Shahpar, pp 615-625.
Emission comparison of turbofan and open rotor engines under special consideration of aircraft and mission design aspects. A. Seitz, D. Schmitt and S. Donnerhack, pp 351-360.
Flow field and performance analysis of an integrated diverterless supersonic inlet.J. Masud, pp 471-480.
Heat transfer characteristic modelling and the effect of operating conditions on re-cooled cycle for a scramjet. W. Bao, J. Qin and W.X. Zhou, pp 83-90.

**ROTORCRAFT**

A comprehensive rotary-wing data base for code validation: the HART II international workshop. B.G. van der Wall, pp 91-102.
A comprehensive rotary-wing data base for code validation: the HART II international workshop — *Erratum*. B.G. van der Wall, p 220.
Aerodynamic shape optimisation of hovering rotors using compressible CFD. C.B. Allen and T.C.S. Rendall, pp 513-519.
A framework for optimising aspects of rotor blades. C.S. Johnson and G.N. Barakos, pp 147-161.
Fidelity enhancement of a rotorcraft simulation model through system identification. L. Lu, G.D. Padfield, M. White and P. Perfect, pp 453-470.
Helicopter brownout — Can it be modelled? C. Phillips, H.W. Kim and R.E. Brown, pp 123-133.
Light gyroplane empennage design considerations. S.S. Houston, pp 505-511.
Modelling of static aerodynamics of helicopter underslung loads. D.I. Greenwell, pp 201-219.
New helicopter model identification method based on flight test data. S. De Jesus Mota and R.M. Botez, pp 295-314.
Non-linear control algorithm for the four rotors UAV attitude tracking problem.L. Derafa, A. Ouldali, T. Madani and A. Benallegue, pp 175-185.
On the generation of a helicopter aerodynamic database. M. Raffel, F. de Gregorio, W. Sheng, G. Gibertini, A. Seraudie, K. de Groot and O. Schneider, pp 103-112.
Trailing-edge flap flow control for dynamic stall. R.B. Green, E.A. Gillies and Y. Wang, pp 493-503.

Visualisation of the brownout phenomenon, integration and test on a helicopter flight simulator. T. Gerlach, pp 57-63.
Wind-tunnel tests of a tilt-rotor aircraft. G. Gibertini, F. Auteri, G. Campanardi, C. Macchi, A. Zanotti and A. Stabellini, pp 315-322.

## SAFETY

Aircraft failure detection and identification over an extended flight envelope using an artificial immune system. H. Moncayo, M.G. Perhinschi and J. Davis, pp 43-55.
Dimensional modelling of the fuel outgassing phenomenon: Improving flammability assessment of aircraft fuel tanks. A.P. Harris and N.M. Ratcliffe, pp 605-614.

## SIMULATION

Fidelity enhancement of a rotorcraft simulation model through system identification. L. Lu, G.D. Padfield, M. White and P. Perfect, pp 453-470.
Helicopter brownout — Can it be modelled? C. Phillips, H.W. Kim and R.E. Brown, pp 123-133.
Modelling of static aerodynamics of helicopter underslung loads. D.I. Greenwell, pp 201-219.
New helicopter model identification method based on flight test data. S. De Jesus Mota and R.M. Botez, pp 295-314.
Pilot task demand load during RNAV approaches with a Cessna Citation.M.M. Heiligers, K.T.P. van Bennekom, T.J. van Tuinen, Th. van Holten and M. Mulder, pp 421-439.
Visualisation of the brownout phenomenon, integration and test on a helicopter flight simulator. T. Gerlach, pp 57-63.

## STRUCTURAL DYNAMICS

Survey of aircraft structural dynamics non-linear problems and some recent solutions. J.L. Pérez, L.H. Benítez, M. Oliver and H. Climent, pp 653-668.

## STRUCTURES

A neuro-fuzzy approach to the weight estimation of aircraft structures. C. Hannon, V.V. Toropov and O.M. Querin, pp 739-748.
Composite materials, composite structures, composite systems: how to get the best out of composites. M. van Tooren, C. Kasapoglou and H. Bersee, pp 789-797.
Conceptual design and sizing of airframe panels according to safe-life acoustic fatigue criteria. R.M. Ajaj, G. Allegri and A.T. Isikveren, pp 15-27.
Damage arrest design approach using stitched composites. A. Velicki and P. Thrash, pp 799-805.
Damage tolerant cork based composites for aerospace applications. J.M. Silva, C.Z. Nunes, N. Franco and P.V. Gamboa, pp 567-575.
Evolution of the fuselage design process: an insight into the potential of structural health monitoring technologies. S. Mistry, M.R. Mofakhami and J. Pinsonnault, pp 749-759.
F/A-18 vertical tail buffeting calculation using unsteady fluid structure interaction. M. Guillaume, A. Gehri, P. Stephani, J.B. Vos and G. Mandanis, pp 285-294.

## SYSTEMS

Aircraft failure detection and identification over an extended flight envelope using an artificial immune system. H. Moncayo, M.G. Perhinschi and J. Davis, pp 43-55.
Multi sensor data fusion based approach for the calibration of airdata systems. M. Majeed and I.N. Kar, pp 113-122.
Vision-based navigation using multi-rate feedback from optic flow and scene reconstruction. A.R. Arvai, J.J. Kehoe and R. Lind, pp 411-420.

## TESTING FACILITIES AND TECHNIQUES

Multi sensor data fusion based approach for the calibration of airdata systems. M. Majeed and I.N. Kar, pp 113-122.
Prediction of total pressure characteristics in the settling chamber of a supersonic blowdown wind tunnel. G.K. Suryanarayana and S.R. Bhoi, pp 557-566.
The influence of Reynolds and Mach numbers on two-dimensional wind-tunnel testing: An experience. B. Rasuo, pp 249-254.
Wind-tunnel tests of a tilt-rotor aircraft. G. Gibertini, F. Auteri, G. Campanardi, C. Macchi, A. Zanotti and A. Stabellini, pp 315-322.

## UAVS

A linear-quadratic-Gaussian approach for automatic flight control of fixed-wing unmanned air vehicles. C.-S. Lee, W.-L. Chan, S.-S. Jan and F.-B. Hsiao, pp 29-41.
An operability framework for unmanned aircraft systems. A. Maneschijn, T. Jones and T.W. von Backström, pp 361-376.
Application of aerodynamic model structure determination to UAV data. S. Carnduff and A. Cooke, pp 481-492.
Design, analysis and experimental validation of a morphing UAV wing. M. Bolinches, A.J. Keane, A.I.J. Forrester, J.P. Scanlan and K. Takeda, pp 761-765.
Non-linear control algorithm for the four rotors UAV attitude tracking problem.L. Derafa, A. Ouldali, T. Madani and A. Benallegue, pp 175-185.
Optimal wing twist distribution for roll control of MAVs.M.R. Ahmed, M.M. Abdelrahman, G.M. ElBayoumi and M.M. ElNomrossy, pp 641-649.
Reactive route selection from pre-calculated trajectories – application to micro-UAV path planning. J. Hall and D. Anderson, pp 635-640.
Span-wise wind fluctuations in open terrain as applicable to small flying craft. M. Thompson, S. Watkins, C. White and J. Holmes, pp 693-701.
Vision-based navigation using multi-rate feedback from optic flow and scene reconstruction. A.R. Arvai, J.J. Kehoe and R. Lind, pp 411-420.

## UNSTEADY AERODYNAMICS

Parameter estimation using unsteady downwash model from real flight data of Hansa-3 aircraft. R. Kumar and A.K. Ghosh, pp 577-588.
Parametric studies of aerofoil-vortex interaction; a numerical approach using LES. M. Ilie, F. Nitzsche and E. Matida, pp 703-711.

## WAKES

Dynamics of the wing-tip vortex in the near field of a NACA 0012 aerofoil. C. del Pino, J.M. López-Alonso, L. Parras and R. Fernandez-Feria, pp 229-239.
Wake vortex prediction and detection utilising advanced fusion filter technologies. S. Schönhals, M. Steen and P. Hecker, pp 221-228.

# Author Index

**ABDALLA, M.M., GURDAL, Z. and DE BREUKER, R.**
Nonlinear aeroelastic design of morphing outboard wing sections, pp 713-728.

**ABDELRAHMAN, M.M., ELBAYOUMI, G.M., ELNOMROSSY, M.M. and AHMED, M.R.**
Optimal wing twist distribution for roll control of MAVs, pp 641-649.

**AHMED, M.R., ABDELRAHMAN, M.M., ELBAYOUMI, G.M. and ELNOMROSSY, M.M.**
Optimal wing twist distribution for roll control of MAVs, pp 641-649.

**AHMED, M.Y.M. and QIN, N.**
Numerical investigation of aeroheating characteristics of spiked blunt bodies at Mach six flight conditions, pp 377-386.

**AJAJ, R.M., ALLEGRI, G. and ISIKVEREN, A.T.**
Conceptual design and sizing of airframe panels according to safe-life acoustic fatigue criteria, pp 15-27.

**AKHRIF, O., SAYDY, L., SAUSSIE, D. and BERARD, C.**
Robust scheduled control of longitudinal flight with handling quality satisfaction, pp 163-174.

**ALLEGRI, G., ISIKVEREN, A.T. and AJAJ, R.M.**
Conceptual design and sizing of airframe panels according to safe-life acoustic fatigue criteria, pp 15-27.

**ALLEN, C.B. and RENDALL, T.C.S.**
Aerodynamic shape optimisation of hovering rotors using compressible CFD, pp 513-519.

**ANDERSON, D. and HALL, J.**
Reactive route selection from pre-calculated trajectories — application to micro-UAV path planning, pp 635-640.

**ANIA, A., POIREL, D. and POTVIN, M.-J.**
Kinematic and aerodynamic characterisation of the RotaFlap — a novel flapping wing mechanism, p 1-13.

**ARUN KUMAR, P., VERMA, S.B. and ELANGOVAN, S.**
Study of jets from rectangular nozzles with square grooves, pp 187-196.

**ARVAI, A.R., KEHOE, J.J. and LIND, R.**
Vision-based navigation using multi-rate feedback from optic flow and scene reconstruction, pp 411-420.

**AUTERI, F., CAMPANARDI, G., MACCHI, C., ZANOTTI, A., STABELLINI, A. and GIBERTINI, G.**
Wind-tunnel tests of a tilt-rotor aircraft, pp 315-322.

**BALACHANDRAN, B., FITZGERALD, T., VALDEZ, M., VANELLA, M. and BALARAS, E.**
Flexible flapping systems: computational investigations into fluid-structure interactions, pp 593-604.

**BALARAS, E., BALACHANDRAN, B., FITZGERALD, T., VALDEZ, M. and VANELLA, M.**
Flexible flapping systems: computational investigations into fluid-structure interactions, pp 593-604.

**BAO, W., QIN, J. and ZHOU, W.X.**
Heat transfer characteristic modelling and the effect of operating conditions on re-cooled cycle for a scramjet, pp 83-90.

**BARAKOS, G.N. AND JOHNSON, C.S.**
A framework for optimising aspects of rotor blades, pp 147-161.

**BARBER, T.J., LEONARDI, E. and BEVES, C.C.**
Aerofoil flow separation suppression using dimples, pp 335-344.

**BENALLEGUE, A., DERAFA, L., OULDALI, A. and MADANI, T.**
Non-linear control algorithm for the four rotors UAV attitude tracking problem, pp 175-185.

**BENITEZ, L.H., OLIVER, M., CLIMENT, H. and PEREZ, J.L.**
Survey of aircraft structural dynamics non-linear problems and some recent solutions, pp 653-668.

**BERARD, C., AKHRIF, O., SAYDY, L. and SAUSSIE, D.**
Robust scheduled control of longitudinal flight with handling quality satisfaction, pp 163-174.

**BERSEE, H., VAN TOOREN, M. and KASAPOGLOU, C.**
Composite materials, composite structures, composite systems: how to get the best out of composites, pp 789.

**BEVES, C.C., BARBER, T.J. and LEONARDI, E.**
Aerofoil flow separation suppression using dimples, pp 335-344.

**BHOI, S.R. and SURYANARAYANA, G.K.**
Prediction of total pressure characteristics in the settling chamber of a supersonic blowdown wind tunnel, pp 557-566.

**BLAKEY, S., WILSON, C.W., FARMERY, M. and MIDGLEY, R.**
Fuel effects on range versus payload for modern jet aircraft, pp 627-634.

**BOLINCHES, M., KEANE, A.J., FORRESTER, A.I.J., SCANLAN, J.P. and TAKEDA, K.**
Design, analysis and experimental validation of a morphing UAV wing, pp 761-765.

**BOTEZ, R.M. and DE JESUS MOTA, S.**
New helicopter model identification method based on flight test data, pp 295-314.

**BROWN, R.E. PHILLIPS, C. and KIM, H.W.**
Helicopter brownout — Can it be modelled?, pp 123-133.

**CAMILLERI, R., OGAJI, S. and PILIDIS, P.**
Applying heat pipes to a novel concept aero engine Part 1 — Design of a heat-pipe heat exchanger for an intercooled aero engine, pp 393-402.

**CAMILLERI, R., OGAJI, S. and PILIDIS, P.**
Applying heat pipes to a novel concept aero engine Part 2 — Design of a heat-pipe heat exchanger for an intercooled-recuperated aero engine, pp 403-410.

**CAMPANARDI, G., MACCHI, C., ZANOTTI, A., STABELLINI, A., GIBERTINI, G. and AUTERI, F.**
Wind-tunnel tests of a tilt-rotor aircraft, pp 315-322.

**CARNDUFF, S. AND COOKE, A.**
Application of aerodynamic model structure determination to UAV data, pp 481-492.

**CHAN, W.-L., JAN, S.-S., HSIAO, F.-B. and LEE, C.-S.**
A linear-quadratic-Gaussian approach for automatic flight control of fixed-wing unmanned air vehicles, pp 29-41.

**CLIMENT, H., PEREZ, J.L., BENITEZ, L.H. and OLIVER, M.**
Survey of aircraft structural dynamics non-linear problems and some recent solutions, pp 653-668.

**COOKE, A. and CARNDUFF, S.**
Application of aerodynamic model structure determination to UAV data, pp 481-492.

**COOPER, J.E. and HARMIN, M.Y.**
Aeroelastic wing design including geometric nonlinearities — Nonlinear aeroelastic design of morphing outboard wing sections, pp 767-788.

**DAVIS, J., MONCAYO, H. and PERHINSCHI, M.G.**
Aircraft failure detection and identification over an extended flight envelope using an artificial immune system, pp 43-55.

**DE BREUKER, R., ABDALLA, M.M. and GURDAL, Z.**
Nonlinear aeroelastic design of morphing outboard wing sections, pp 713-728.

**DE GREGORIO, F., SHENG, W., GIBERTINI, G., SERAUDIE, A., DE GROOT, K. , SCHNEIDER, O. and RAFFEL, M.**
On the generation of a helicopter aerodynamic database, pp 103-112.

**DE GROOT, K., SCHNEIDER, O., RAFFEL, M., DE GREGORIO, F., SHENG, W., GIBERTINI, G. and SERAUDIE, A.**
On the generation of a helicopter aerodynamic database, pp 103-112.

**DE JESUS MOTA, S. and BOTEZ, R.M.**
New helicopter model identification method based on flight test data, pp 295-314.

**DEL PINO, C., LOPEZ-ALONSO, J.M., PARRAS, L. and FERNandEZ-FERIA, R.**
Dynamics of the wing-tip vortex in the near field of a NACA 0012 aerofoil, pp 229-239.

**DERAFA, L., OULDALI, A., MADANI, T. and BENALLEGUE, A.**
Non-linear control algorithm for the four rotors UAV attitude tracking problem, pp 175-185.

**DONNERHACK, S., SEITZ, A. and SCHMITT, D.**
Emission comparison of turbofan and open rotor engines under special consideration of aircraft and mission design aspects, pp 351-360.

**ELANGOVAN, S., ARUN KUMAR, P. and VERMA, S.B.**
Study of jets from rectangular nozzles with square grooves, pp 187-196.

**ELBAYOUMI, G.M., ELNOMROSSY, M.M., AHMED, M.R. and ABDELRAHMAN, M.M.**
Optimal wing twist distribution for roll control of MAVs, pp 641-649.

**ELNOMROSSY, M.M., AHMED, M.R., ABDELRAHMAN, M.M. and ELBAYOUMI, G.M.**
Optimal wing twist distribution for roll control of MAVs, pp 641-649.

**FARMERY, M., MIDGLEY, R., BLAKEY, S. and WILSON, C.W.**
Fuel effects on range versus payload for modern jet aircraft, pp 627-634.

**FERNANDEZ-FERIA, R. , DEL PINO, C., LOPEZ-ALONSO, J.M. and PARRAS, L.**
Dynamics of the wing-tip vortex in the near field of a NACA 0012 aerofoil, pp 229-239.

**FITZGERALD, T., VALDEZ, M., VANELLA, M., BALARAS, E. and BALACHANDRAN, B.**
Flexible flapping systems: computational investigations into fluid-structure interactions, pp 593-604.

**FORRESTER, A.I.J., SCANLAN, J.P., TAKEDA, K., BOLINCHES, M. and KEANE, A.J.**
Design, analysis and experimental validation of a morphing UAV wing, pp 761-765.

**FRANCO, N., GAMBOA, P.V., SILVA, J.M. and NUNES, C.Z.**
Damage tolerant cork based composites for aerospace applications, pp 567-575.

**FRIEDMANN, P.P., WAAS, A.M, MCNAMARA, J.J. and NG, W.H.**
Thermomechanical behaviour of a damaged thermal protection system: experimental correlation and influence of hypersonic flow, pp 69-82.

**GAMBOA, P.V., SILVA, J.M., NUNES, C.Z. and FRANCO, N.**
Damage tolerant cork based composites for aerospace applications, pp 567-575.

**GEHRI, A., STEPHANI, P., VOS, J.B. , MandANIS, G. and GUILLAUME, M.**
F/A-18 vertical tail buffeting calculation using unsteady fluid structure interaction, pp 285-294.

**GERLACH, T.**
Visualisation of the brownout phenomenon, integration and test on a helicopter flight simulator, pp 57-63.

**GHOSH, A.K. and KUMAR, R.**
Parameter estimation using unsteady downwash model from real flight data of Hansa-3 aircraft, pp 577-588.

**GIBERTINI, G., AUTERI, F., CAMPANARDI, G., MACCHI, C., ZANOTTI, A. and STABELLINI, A.**
Wind-tunnel tests of a tilt-rotor aircraft, pp 315-322.

**GIBERTINI, G., SERAUDIE, A., DE GROOT, K., SCHNEIDER, O., RAFFEL, M., DE GREGORIO, F. and SHENG, W.**
On the generation of a helicopter aerodynamic database, pp 103-112.

**GILLIES, E.A., WANG, Y. and GREEN, R.B.**
Trailing-edge flap flow control for dynamic stall, pp 493-503.

**GRATTON, G., MARES, C. and SAEED, B.**
A feasibility assessment of annular winged VTOL flight vehicles, pp 683-692.

**GREEN, R.B., GILLIES, E.A. and WANG, Y.**
Trailing-edge flap flow control for dynamic stall, pp 493-503.

**GREENWELL, D.I.**
Modelling of static aerodynamics of helicopter underslung loads, pp 201-219.

**GUILLAUME, M., GEHRI, A., STEPHANI, P., VOS, J.B. and MANDANIS, G.**
F/A-18 vertical tail buffeting calculation using unsteady fluid structure interaction, pp 285-294.

**GURDAL, Z., DE BREUKER, R. and ABDALLA, M.M.**
Nonlinear aeroelastic design of morphing outboard wing sections, pp 713-728.

**HALL, J. and ANDERSON, D.**
Reactive route selection from pre-calculated trajectories – application to micro-UAV path planning, pp 635-640.

**HANNON, C., TOROPOV, V.V. and QUERIN, O.M.**
A neuro-fuzzy approach to the weight estimation of aircraft structures, pp 739-748.

**HARMIN, M.Y. and COOPER, J.E.**
Aeroelastic wing design including geometric nonlinearities — Nonlinear aeroelastic design of morphing outboard wing sections, pp 767-788.

**HARRIS, A.P. and RATCLIFFE, N.M.**
Dimensional modelling of the fuel outgassing phenomenon: Improving flammability assessment of aircraft fuel tanks, pp 605-614.

**HECKER, P. , SCHONHALS, S. and STEEN, M.**
Wake vortex prediction and detection utilising advanced fusion filter technologies, pp 221-228.

**HEILIGERS, M.M., VAN BENNEKOM, K.T.P., VAN TUINEN, T.J., VAN HOLTEN, TH. and MULDER, M.**
Pilot task demand load during RNAV approaches with a Cessna Citation, pp 421-439.

**HOLMES, J., THOMPSON, M., WATKINS, S. and WHITE, C.**
Span-wise wind fluctuations in open terrain as applicable to small flying craft, pp 693-701.

**HOUSTON, S.S.**
Light gyroplane empennage design considerations, pp 505-511.

**HSIAO, F.-B., LEE, C.-S., CHAN, W.-L. and JAN, S.-S.**
A linear-quadratic-Gaussian approach for automatic flight control of fixed-wing unmanned air vehicles, pp 29-41.

**ILIE, M., NITZSCHE, F. and MATIDA, E.**
Parametric studies of aerofoil-vortex interaction; a numerical approach using LES, pp 703-711.

**ISIKVEREN, A.T., AJAJ, R.M. and ALLEGRI, G.**
Conceptual design and sizing of airframe panels according to safe-life acoustic fatigue criteria, pp 15-27.

**JAN, S.-S., HSIAO, F.-B., LEE, C.-S. and CHAN, W.-L.**
A linear-quadratic-Gaussian approach for automatic flight control of fixed-wing unmanned air vehicles, pp 29-41.

**JAWORSKI, A.J., TURNER, J.T., WOOD, N.J. and ZHANG, S.**
Investigation of the three-dimensional flow over a 40° swept wing, pp 441-449.

**JIAN-XIA , L., XIAN-ZHONG, G., XIAO-QING, C. and ZHONG-XI, H.**
Modification impact on aerodynamic performance of hypersonic waverider, pp 325-334.

**JOHNSON, C.S. and BARAKOS, G.N.**
A framework for optimising aspects of rotor blades, pp 147-161.

**JONES, T., VON BACKSTROM, T.W. and MANESCHIJN, A.**
An operability framework for unmanned aircraft systems, pp 361-376.

**KAR, I.N. and MAJEED, M.**
Multi sensor data fusion based approach for the calibration of airdata systems, pp 113-122.

**KASAPOGLOU, C., BERSEE, H. and VAN TOOREN, M.**
Composite materials, composite structures, composite systems: how to get the best out of composites, pp 789-797.

**KEANE, A.J., FORRESTER, A.I.J., SCANLAN, J.P., TAKEDA, K. and BOLINCHES, M.**
Design, analysis and experimental validation of a morphing UAV wing, pp 761-765.

**KEHOE, J.J., LIND, R. and ARVAI, A.R.**
Vision-based navigation using multi-rate feedback from optic flow and scene reconstruction, pp 411-420.

**KHANAL, B., KNOWLES, K. and SADDINGTON, A.J.**
Computational study of flowfield characteristics in cavities with stores, pp 669-681.

**KIM, H.W., BROWN, R.E. and PHILLIPS, C.**
Helicopter brownout — Can it be modelled?, pp 123-133.

**KNOWLES, K., SADDINGTON, A.J. and KHANAL, B.**
Computational study of flowfield characteristics in cavities with stores, pp 669-681.

**KUMAR, R. and GHOSH, A.K.**
Parameter estimation using unsteady downwash model from real flight data of Hansa-3 aircraft, pp 577-588.

**LEE, C.-S., CHAN, W.-L., JAN, S.-S. and HSIAO, F.-B.**
A linear-quadratic-Gaussian approach for automatic flight control of fixed-wing unmanned air vehicles, pp 29-41.

**LEONARDI, E., BEVES, C.C. and BARBER, T.J.**
Aerofoil flow separation suppression using dimples, pp 335-344.

**LEWIS, H.G., SWINERD, G.G. and NEWLand, R.J.**
The space debris environment: future evolution, pp 241-247.

**LIND, R., ARVAI, A.R. and KEHOE, J.J.**
Vision-based navigation using multi-rate feedback from optic flow and scene reconstruction, pp 411-420.

**LOPEZ-ALONSO, J.M., PARRAS, L., FERNANDEZ-FERIA, R. and DEL PINO, C.**
Dynamics of the wing-tip vortex in the near field of a NACA 0012 aerofoil, pp 229-239.

**LU, L., PADFIELD, G.D., WHITE, M. and PERFECT, P.**
Fidelity enhancement of a rotorcraft simulation model through system identification, pp 453-470.

**MACCHI, C., ZANOTTI, A. , STABELLINI, A., GIBERTINI, G., AUTERI, F. and CAMPANARDI, G.**
Wind-tunnel tests of a tilt-rotor aircraft, pp 315-322.

**MADANI, T., BENALLEGUE, A., DERAFA, L. and OULDALI, A.**
Non-linear control algorithm for the four rotors UAV attitude tracking problem, pp 175-185.

**MAJEED, M. and KAR, I.N.**
Multi sensor data fusion based approach for the calibration of airdata systems, pp 113-122.

**MANDANIS, G., GUILLAUME, M., GEHRI, A., STEPHANI, P. and VOS, J.B.**
F/A-18 vertical tail buffeting calculation using unsteady fluid structure interaction, pp 285-294.

**MANESCHIJN, A., JONES, T. and VON BACKSTROM, T.W.**
An operability framework for unmanned aircraft systems, pp 361-376.

**MARCH, A., WILLCOX, K. and WANG, Q.**
Gradient-based multifidelity optimisation for aircraft design using bayesian model calibration, pp 729.

**MARES, C., SAEED, B. and GRATTON, G.**
A feasibility assessment of annular winged VTOL flight vehicles, pp 683-692.

**MASUD, J.**
Flow field and performance analysis of an integrated diverterless supersonic inlet, pp 471-480.

**MATIDA, E., ILIE, M. and NITZSCHE, F.**
Parametric studies of aerofoil-vortex interaction; a numerical approach using LES, pp 703-711.

**MCNAMARA, J.J., NG, W.H., FRIEDMANN, P.P. and WAAS, A.M.**
Thermomechanical behaviour of a damaged thermal protection system: experimental correlation and influence of hypersonic flow, pp 69-82.

**MIDGLEY, R., BLAKEY, S., WILSON, C.W. and FARMERY, M.**
Fuel effects on range versus payload for modern jet aircraft, pp 627-634.

**MISTRY, S., MOFAKHAMI, M.R. and PINSONNAULT, J.**
Evolution of the fuselage design process: an insight into the potential of structural health monitoring technologies, pp 749-759.

**MOFAKHAMI, M.R., PINSONNAULT, J. and MISTRY, S.**
Evolution of the fuselage design process: an insight into the potential of structural health monitoring technologies, pp 749-759.

**MONCAYO, H., PERHINSCHI, M.G. and DAVIS, J.**
Aircraft failure detection and identification over an extended flight envelope using an artificial immune system, pp 43-55.

**MULDER, M. , HEILIGERS, M.M., VAN BENNEKOM, K.T.P., VAN TUINEN, T.J. and VAN HOLTEN, TH.**
Pilot task demand load during RNAV approaches with a Cessna Citation, pp 421-439.

**NEWLAND, R.J., LEWIS, H.G., and SWINERD, G.G.**
The space debris environment: future evolution, pp 241-247.

**NG, W.H., FRIEDMANN, P.P., WAAS, A.M. and MCNAMARA, J.J.**
Thermomechanical behaviour of a damaged thermal protection system: experimental correlation and influence of hypersonic flow, pp 69-82.

**NITZSCHE, F., MATIDA, E. and ILIE, M.**
Parametric studies of aerofoil-vortex interaction; a numerical approach using LES, pp 703-711.

**NUNES, C.Z., FRANCO, N., GAMBOA, P.V. and SILVA, J.M.**
Damage tolerant cork based composites for aerospace applications, pp 567-575.

**OGAJI, S., PILIDIS, P. and CAMILLERI, R.**
Applying heat pipes to a novel concept aero engine Part 1 — Design of a heat-pipe heat exchanger for an intercooled aero engine, pp 393-402.

**OGAJI, S., PILIDIS, P. and CAMILLERI, R.**
Applying heat pipes to a novel concept aero engine Part 2 — Design of a heat-pipe heat exchanger for an intercooled-recuperated aero engine, pp 403-410.

**OLIVER, M., CLIMENT, H., PEREZ, J.L. and BENITEZ, L.H.**
Survey of aircraft structural dynamics non-linear problems and some recent solutions, pp 653-668.

**OULDALI, A., MADANI, T., BENALLEGUE, A. and DERAFA, L.**
Non-linear control algorithm for the four rotors UAV attitude tracking problem, pp 175-185.

**PADFIELD, G.D.**
The tau of flight control, pp 521-556.

**PADFIELD, G.D., WHITE, M. and PERFECT, P. and LU, L.**
Fidelity enhancement of a rotorcraft simulation model through system identification, pp 453-470.

**PARRAS, L.. FERNANDEZ-FERIA, R., DEL PINO, C. and LOPEZ-ALONSO, J.M.**
Dynamics of the wing-tip vortex in the near field of a NACA 0012 aerofoil, pp 229-239.

**PEREZ, J.L., BENITEZ, L.H., OLIVER, M. and CLIMENT, H.**
Survey of aircraft structural dynamics non-linear problems and some recent solutions, pp 653-668.

**PERFECT, P., LU, L., PADFIELD, G.D. and WHITE, M.**
Fidelity enhancement of a rotorcraft simulation model through system identification, pp 453-470.

**PERHINSCHI, M.G, DAVIS, J. and MONCAYO, H.**
Aircraft failure detection and identification over an extended flight envelope using an artificial immune system, pp 43-55.

**PHILLIPS, C., KIM, H.W. and BROWN, R.E.**
Helicopter brownout — Can it be modelled?, pp 123-133.

**PILIDIS, P., CAMILLERI, R. and OGAJI, S.**
Applying heat pipes to a novel concept aero engine Part 1 — Design of a heat-pipe heat exchanger for an intercooled aero engine, pp 393-402.

**PILIDIS, P., CAMILLERI, R. and OGAJI, S.**
Applying heat pipes to a novel concept aero engine Part 2 — Design of a heat-pipe heat exchanger for an intercooled-recuperated aero engine, pp 403-410.

**PINSONNAULT, J. , MISTRY, S. and MOFAKHAMI, M.R.**
Evolution of the fuselage design process: an insight into the potential of structural health monitoring technologies, pp 749-759.

**POIREL, D., POTVIN, M.-J. and ANIA, A.**
Kinematic and aerodynamic characterisation of the RotaFlap — a novel flapping wing mechanism, pp 1-13.

**POLL, D.I.A.**
A first order method for the determination of the leading mass characteristics of civil transport aircraft, pp 257-272.

**POLL, D.I.A.**
On the effect of stage length on the efficiency of air transport, pp 273-283.

**POTVIN, M.-J., ANIA, A. and POIREL, D.**
Kinematic and aerodynamic characterisation of the RotaFlap — a novel flapping wing mechanism, pp 1-13.

**QIN, J, ZHOU, W.X. and BAO, W.**
Heat transfer characteristic modelling and the effect of operating conditions on re-cooled cycle for a scramjet, pp 83-90.

**QIN, N. and AHMED, M.Y.M.**
Numerical investigation of aeroheating characteristics of spiked blunt bodies at Mach six flight conditions, pp 377-386.

**QUERIN, O.M., HANNON, C. and TOROPOV, V.V.**
A neuro-fuzzy approach to the weight estimation of aircraft structures, pp 739-748.

**RAFFEL, M., DE GREGORIO, F., SHENG, W., GIBERTINI, G., SERAUDIE, A., DE GROOT, K. and SCHNEIDER, O.**
On the generation of a helicopter aerodynamic database, pp 103-112.

**RASUO, B.**
The influence of Reynolds and Mach numbers on two-dimensional wind-tunnel testing: An experience, pp 249-254.

**RATCLIFFE, N.M. and HARRIS, A.P.**
Dimensional modelling of the fuel outgassing phenomenon: Improving flammability assessment of aircraft fuel tanks, pp 605-614.

**RENDALL, T.C.S., and ALLEN, C.B.**
Aerodynamic shape optimisation of hovering rotors using compressible CFD, pp 513-519.

**SADDINGTON, A.J., KHANAL, B. and KNOWLES, K.**
Computational study of flowfield characteristics in cavities with stores, pp 669-681.

**SAEED, B., GRATTON, G. and MARES, C.**
A feasibility assessment of annular winged VTOL flight vehicles, pp 683-692.

**SAUSSIE, D., BERARD, C., AKHRIF, O. and SAYDY, L.**
Robust scheduled control of longitudinal flight with handling quality satisfaction, pp 163-174.

**SAYDY, L., SAUSSIE, D., BERARD, C., and AKHRIF, O.**
Robust scheduled control of longitudinal flight with handling quality satisfaction, pp 163-174.

**SCANLAN, J.P., TAKEDA, K., BOLINCHES, M., KEANE, A.J. and FORRESTER, A.I.J.**
Design, analysis and experimental validation of a morphing UAV wing, pp 761-765.

**SCHMITT, D., DONNERHACK, S. and SEITZ, A.**
Emission comparison of turbofan and open rotor engines under special consideration of aircraft and mission design aspects, pp 351-360.

**SCHNEIDER, O., RAFFEL, M., DE GREGORIO, F., SHENG, W., GIBERTINI, G., SERAUDIE, A. and DE GROOT, K.**
On the generation of a helicopter aerodynamic database, pp 103-112.

**SCHONHALS, S., STEEN, M. and HECKER, P.**
Wake vortex prediction and detection utilising advanced fusion filter technologies, pp 221-228.

**SEITZ, A., SCHMITT, D. and DONNERHACK, S.**
Emission comparison of turbofan and open rotor engines under special consideration of aircraft and mission design aspects, pp 351-360.

**SERAUDIE, A., DE GROOT, K., SCHNEIDER, O., RAFFEL, M., DE GREGORIO, F., SHENG, W. and GIBERTINI, G.**
On the generation of a helicopter aerodynamic database, pp 103-112.

**SHAHPAR, S.**
Challenges to overcome for routine usage of automatic optimisation in the propulsion industry, pp 615-625.

**SHENG, W., GIBERTINI, G., SERAUDIE, A., DE GROOT, K. , SCHNEIDER, O., RAFFEL, M. and DE GREGORIO, F.**
On the generation of a helicopter aerodynamic database, pp 103-112.

**SILVA, J.M., NUNES, C.Z., FRANCO, N. and GAMBOA, P.V.**
Damage tolerant cork based composites for aerospace applications, pp 567-575.

**SOMERS, D.M.**
Subsonic aerofoil design 2010, pp 137-146.

**STABELLINI, A., GIBERTINI, G., AUTERI, F., CAMPANARDI, G., MACCHI, C. and ZANOTTI, A.**
Wind-tunnel tests of a tilt-rotor aircraft, pp 315-322.

**STEEN, M. , HECKER, P. and SCHONHALS, S.**
Wake vortex prediction and detection utilising advanced fusion filter technologies, pp 221-228.

**STEPHANI, P., VOS, J.B., MandANIS, G., GUILLAUME, M. and GEHRI, A.**
F/A-18 vertical tail buffeting calculation using unsteady fluid structure interaction, pp 285-294.

**SURYANARAYANA, G.K. and BHOI, S.R.**
P rediction of total pressure characteristics in the settling chamber of a supersonic blowdown wind tunnel, pp 557-566.

**SWINERD, G.G., NEWLAND, R.J. and LEWIS, H.G.**
The space debris environment: future evolution, pp 241-247.

**TAKEDA, K., BOLINCHES, M., KEANE, A.J., FORRESTER, A.I.J. and SCANLAN, J.P.**
Design, analysis and experimental validation of a morphing UAV wing, pp 761-765.

**THOMPSON, M., WATKINS, S., WHITE, C. and HOLMES, J.**
Span-wise wind fluctuations in open terrain as applicable to small flying craft, pp 693-701.

**THRASH, P. and VELICKI, A.**
Damage arrest design approach using stitched composites, pp 799-805.

**TOROPOV, V.V., QUERIN, O.M. and HANNON, C.**
A neuro-fuzzy approach to the weight estimation of aircraft structures, pp 739.

**TURNER, J.T., WOOD, N.J., ZHANG, S. and JAWORSKI, A.J.**
Investigation of the three-dimensional flow over a 40° swept wing, pp 441-449.

**VALDEZ, M., VANELLA, M., BALARAS, E., BALACHANDRAN, B. and FITZGERALD, T.**
Flexible flapping systems: computational investigations into fluid-structure interactions, pp 593-604.

**VAN BENNEKOM, K.T.P., VAN TUINEN, T.J., VAN HOLTEN, TH., MULDER, M. and HEILIGERS, M.M.**
Pilot task demand load during RNAV approaches with a Cessna Citation, pp 421-439.

**VAN DER WALL, B.G.**
A comprehensive rotary-wing data base for code validation: the HART II international workshop, pp 91-102.

**VAN DER WALL, B.G.**
A comprehensive rotary-wing data base for code validation: the HART II international workshop — *Erratum*, pp 220.

**VAN HOLTEN, TH., MULDER, M., HEILIGERS, M.M., VAN BENNEKOM, K.T.P. and VAN TUINEN, T.J.**
Pilot task demand load during RNAV approaches with a Cessna Citation, pp 421-439.

**VAN TOOREN, M., KASAPOGLOU, C. and BERSEE, H.**
Composite materials, composite structures, composite systems: how to get the best our of composites, pp 779-787.

**VAN TUINEN, T.J., VAN HOLTEN, TH., MULDER, M., HEILIGERS, M.M. and VAN BENNEKOM, K.T.P.**
Pilot task demand load during RNAV approaches with a Cessna Citation, pp 421-439.

**VANELLA, M., BALARAS, E., BALACHANDRAN, B., FITZGERALD, T. and VALDEZ, M.**
Flexible flapping systems: computational investigations into fluid-structure interactions, pp 593-604.

**VELICKI, A. and THRASH, P.**
Damage arrest design approach using stitched composites, pp 789-795.

**VERMA, S.B., ELANGOVAN, S. and ARUN KUMAR, P.**
Study of jets from rectangular nozzles with square grooves, pp 187-196.

**VON BACKSTROM, T.W., MANESCHIJN, A. and JONES, T.**
An operability framework for unmanned aircraft systems, pp 361-376.

**VOS, J.B., MANDANIS, G., GUILLAUME, M., GEHRI, A. and STEPHANI, P.**
F/A-18 vertical tail buffeting calculation using unsteady fluid structure interaction, pp 285-294.

**WAAS, A.M, MCNAMARA, J.J. NG, W.H. and FRIEDMANN, P.P.**
Thermomechanical behaviour of a damaged thermal protection system: experimental correlation and influence of hypersonic flow, pp 69-82.

**WANG, D.**
Algebraic analysis of stability and bifurcation for nonlinear flight dynamics, pp 345-349.

**WANG, Q., MARCH, A. and WILLCOX, K.**
Gradient-based multifidelity optimisation for aircraft design using bayesian model calibration, pp 729-738.

**WANG, Y., GREEN, R.B. and GILLIES, E.A.**
Trailing-edge flap flow control for dynamic stall, pp 493-503.

**WATKINS, S., WHITE, C., HOLMES, J. and THOMPSON, M.**
Span-wise wind fluctuations in open terrain as applicable to small flying craft, pp 693-701.

**WHITE, C., HOLMES, J., THOMPSON, M. and WATKINS, S.**
Span-wise wind fluctuations in open terrain as applicable to small flying craft, pp 693-701.

**WHITE, M., PERFECT, P., LU, L. and PADFIELD, G.D.**
Fidelity enhancement of a rotorcraft simulation model through system identification, pp 453-470.

**WILLCOX, K., WANG, Q. and MARCH, A.**
Gradient-based multifidelity optimisation for aircraft design using bayesian model calibration, pp 729-738.

**WILSON, C.W., FARMERY, M., MIDGLEY, R. and BLAKEY, S.**
Fuel effects on range versus payload for modern jet aircraft, pp 627-634.

**WOOD, N.J., ZHANG, S., JAWORSKI, A.J. and TURNER, J.T.**
Investigation of the three-dimensional flow over a 40° swept wing, pp 441-449.

**XIAN-ZHONG, G., XIAO-QING, C., ZHONG-XI, H. and JIAN-XIA , L.**
Modification impact on aerodynamic performance of hypersonic waverider, pp 325-334.

**XIAO-QING, C., ZHONG-XI, H., JIAN-XIA , L. and XIAN-ZHONG, G.**
Modification impact on aerodynamic performance of hypersonic waverider, pp 325-334.

**ZANOTTI, A. , STABELLINI, A., GIBERTINI, G., AUTERI, F., CAMPANARDI, G. and MACCHI, C.**
Wind-tunnel tests of a tilt-rotor aircraft, pp 315-322.

**ZHANG, S., JAWORSKI, A.J., TURNER, J.T. and WOOD, N.J.**
Investigation of the three-dimensional flow over a 40° swept wing, pp 441-449.

**ZHONG-XI, H., JIAN-XIA , L., XIAN-ZHONG, G. and XIAO-QING, C.**
Modification impact on aerodynamic performance of hypersonic waverider, pp 325-334.

**ZHOU, W.X., BAO, W. and QIN, J.**
Heat transfer characteristic modelling and the effect of operating conditions on re-cooled cycle for a scramjet, pp 83-90.

## Volume CXV


| | | |
|---|---|---|
| Number 1163 | January | pp 1-66 |
| Number 1164 | February | pp 69-133 |
| Number 1165 | March | pp 137-198 |
| Number 1166 | April | pp 201-254 |
| Number 1167 | May | pp 257-322 |
| Number 1168 | June | pp 325-390 |
| Number 1169 | July | pp 393-450 |
| Number 1170 | August | pp 453-518 |
| Number 1171 | September | pp 521-591 |
| Number 1172 | October | pp 593-650 |
| Number 1173 | November | pp 653-711 |
| Number 1174 | December | pp 713-805 |